



Application for Percolation Test and Observation Hole

Please print legibly

Date: _____

Fee to be paid at the time of application: \$200.00 each extra hole \$75.00

Location of work: _____, Map _____ Lot _____ Dighton, MA

Existing house on property: _____ Vacant land: _____ Repair: _____
Increase Flow: _____ New Construction: _____

Are there wetlands or streams within 100' of where work is going to take place? _____ +/- _____

Owners Name: _____ Tel: _____

Owners Address (if different then perc. location): _____

Engineer/Reg. Sanitarian: _____ Reg. # _____

Tel: _____ Cell: _____

E-Mail Address: _____

Excavator: _____ Cell: _____

Engineer's Signature

Date

All approvals MUST be signed off BEFORE application is submitted to the Board of Health

Building Approval: _____ Date: _____

Conservation Approval: _____ Date: _____

***** For Health Office Use *****

Date Scheduled: _____ Time: _____ Witness By: _____

attachment: Conservation Commission Review Statement

DATE: _____

TO: DIGHTON BOARD OF HEALTH

FROM: DIGHTON CONSERVATION COMMISSION

SUBJECT: CONSERVATION COMMISSION SITE REVIEW

1. On _____ a representative from the Conservation Commission visited the following site to conduct a wetlands determination for the purpose of a Perc Test:

 Address and/or Assessors Map and Lot page number

2. The site determination was requested by:

 Name(s) of requestor(s) or Firm (as applicable)

 Number and Street (as applicable)

 Town

 State

 Zip Code

 Telephone (Home/Work)

3. The Conservation Commission has concluded that the Perc Test proposed on the above site IS/IS NOT found to be within 100 feet of a wetlands resource area.
4. The Conservation Commission has concluded that the Perc Test proposed on the above site IS/IS NOT found to be within 200 feet of any rivers or ponds.

If because of site constraints, the Perc Test cannot be conducted outside of these resource areas the applicant is required to file a written Request for a Determination of Applicability or Notice of Intent application with the Conservation Commission. This application should be the standard form as set forth by the Massachusetts Department of Environmental Protection (DEP).

Additional Comments:

 Agent, Conservation Commission

TO: _____
 Name(s) of requestor(s) or Firm (as applicable)

Date: _____

Number and street

City/town/state/zip

FROM: Dighton Board of Health

SUBJECT: Title V Wetlands Requirements

Site location: _____
Address and/or map and lot number

The above site was visited by a member of or an agent of the Dighton Conservation Commission on _____ to accommodate the Dighton Board of Health's Percolation Test Regulation concerning wetlands. The Conservation Commission has concluded that:

_____ No Wetlands, are not found within 100 feet of the proposed perc site. No additional Title V wetlands requirements.

_____ No Rivers, Streams, or ponds are found within 200 feet of the proposed perc site. Not additional Title V wetlands requirement.

_____ A wetland resource, stream, or pond has been found near the above site. Therefore, the Board of Health requires the applicant(s) have a botanist, certified by the Commonwealth of Massachusetts, flag the extent of the wetlands on the site. The applicant must submit a scaled engineered drawing which locates the flagged areas and the proposed percolation test sites as required in paragraph 2b of the current Board of Health Percolation Test Regulation. In addition, this plan must be filed as A Notice of Resource Area Delineation (ANRAD) prior to the scheduling of a perc test.

NOTES:

1. Percolation tests will not be conducted within 100 (one hundred) feet of wetlands or within 200 (two hundred) feet of a river, stream or pond.

2. Rivers and their tributaries may contribute to a surface public and/or private water supply. To protect water supplies, the Board of Health requires a minimum distance of 100 (one hundred) feet between the wetlands that support these rivers and streams and a septic system and 200 (two hundred) feet between these streams and a septic system or whichever is greater. The location of the Coles River, the Segregansett River, the Three Mile River, and their tributaries as well as the tributaries of the Taunton River are defined by the most current United States Geological Survey (USGS) map published.

3. The location of the Coles River, the Segregansett River, the Three Mile River, the Taunton River and their tributaries are defined by the most current United States Geological Survey (USGS) map published.

Chairman, Dighton Board of Health